



Gerber Asia

Gerber Korea Ltd
Tel: 82-236657324
E-Mail : gerkor@gerberasia.com

Gerber China Corp.
Tel: 86-18661655078
E-mail : gerqing@gerberasia.com




PE Tarpaulin

We use the best raw materials in Korea and latest upgrade facilities to keep on producing the high-quality products. Compared to other products, it has excellent physical strength (tensile & tear). Products lasts twice longer than others.

PE Tarpaulin Roll type can be made to order with the following options.

DENIER	650 ~ 3,000 DENIER
DENSITY	6×6 ~ 20×20/SQ.INCH
WIDTH	2 YARDS or 2 METERS STANDARD (MAXIMUM 260CM)
WEIGHT	50 ~ 360 g/m ²
LENGTH	100 ~ 15,000 METERS
COLOR	ALL KINDS
UV, FR AND CORONA TREATMENT AND LOGO PRINTING	BY REQUEST





Gerber Asia

Gerber Korea Ltd
Tel: 82-236657324
E-Mail : gerkor@gerberasia.com

Gerber China Corp.
Tel: 86-18661655078
E-mail : gerqing@gerberasia.com



§ Uses

Tarpaulin can be used in all kinds of outdoor application: construction, agriculture, leisure activities, and gardening and so on? The main advantage and feature of tarpaulin is being waterproof and providing shades.

Cover	The most common usage of PE Tarpaulin is to COVER. It is used to cover in almost all areas like automobile, boat, swimming pool, machinery, construction site, and agriculture.
Camping & Leisure	It is also used as ground sheets, picnic mats, beach mats, privacy walls, wind protection and flooring of camping tent.
Gazebo & Canopies	Tarpaulin is also used gazebo tents and dining canopies in the garden or backyard.



Gerber Asia

Gerber Korea Ltd
Tel: 82-236657324
E-Mail : gerkor@gerberasia.com

Gerber China Corp.
Tel: 86-18661655078
E-mail : gerqing@gerberasia.com



§ Manufacturing process

PE TARPAULIN (HS CODE: 3921.90)

HDPE 54% LLDPE 42% Color Master Batch 3% Core 1%

1. YARN MAKING PROCESS

RAW MATERIAL(HDPE) MIXING & MELTING -> FILMING & COOLING -> FILM CUTTING
& DRAWING YARNS -> YARN WINDING


Raw material: HDPE (3901.20)



Gerber Asia

Gerber Korea Ltd
Tel: 82-236657324
E-Mail : gerkor@gerberasia.com

Gerber China Corp.
Tel: 86-18661655078
E-mail : gerqing@gerberasia.com



2. WEAVING PROCESS

INSERT WARP TO WEAVING MACHINE -> INSERT WEFT TO WEAVING MACHINE
-> WEAVING





Gerber Asia

Gerber Korea Ltd
Tel: 82-236657324
E-Mail : gerkor@gerberasia.com

Gerber China Corp.
Tel: 86-18661655078
E-mail : gerqing@gerberasia.com

3. LAMINATING PROCESS

**UNWINDING ROLL -> RAW MATERIAL(LLDPE, LDPE) MIXING&MELTING -> LAMINATING
-> PRESSING & WINDING**

Raw Material: LLDPE (3901.10)

Raw Material: Master Batch (3204.17)



4. PACKING PROCESS

REWINDING & PACKING

